



### GTLO1 DIGITAL CONTROLLER

A digital controller specifically studied to manage every function of the light tower for the best ease of use.



### GENERAC® LED LAMPS

4x300 W high efficiency LED floodlights designed by Generac® Tower Light.

## V20

TECHNICAL DATA		
Minimum dimensions (mm)	Lenght x Width x Height	2200 x 1400 x 2440
Maximum dimensions (mm)	Lenght x Width x Height	2200 x 1850 x 8500
Dry weight (kg)		980
Lifting system	M:Manual / H:Hydraulic	H
Mast rotation (°)		340
Lamps power (W)		4 x 300
Lamps type	MH: MetalHalide / LD: LED	LD
Total lumen (Lm)		153000
Illuminated area (m <sup>2</sup> )		4200
Engine		Kubota Z482
Engine cooling	W: water / A: air	W
Cylinders (q.ty)		2
Engine speed (RPM)	50 / 60 Hz	1500 / 1800
Liquid containment (110%)	√: Yes / •: No	√
Alternator	kVA/V/Hz	5/220/50 - 5/240/60
Outlet Socket	kVA/V/Hz	2/220/50 - 2/240/60
Inlet plug	A/V/Hz	16/220/50 - 16/240/60
Avg. sound pressure	dB(A)@7mt	58
Wind speed resistance (km/h)		110
Tank capacity (liters)		100
Total running time (h)		167

[@mrplanthireuk](#)
[mr\\_plant\\_hire](#)
[@mrplanthireuk](#)
[@mrplanthireuk](#)

Head office: 120 Hertford Road, Enfield EN3 5AX | e: info@mrplanthire.co.uk

**SCAN ME** TO DOWNLOAD THE MPH APP  
 EQUIPMENT INVENTORY | SPECIFICATIONS  
 TUTORIALS | TRAINING | SUPPORT

**020 8351 3434**